Please amend the subject application as follows:

IN THE CLAIMS:

Please cancel claim 3 and accept amended claims 1, 4, 23, 25 and 26 and new claims 27-30 as follows:

- 1. (currently amended) A capacitor comprising:
- a lower electrode formed on a semiconductor substrate;
- a dielectric film stacked on the lower electrode; and
- an upper electrode, comprising a first upper electrode and a second upper electrode, formed on the dielectric film, wherein:

the <u>first</u> upper electrode is formed by <u>chemical physical</u> vapor deposition without bias power applied to the <u>semiconductor substrate</u> and <u>the second upper</u> <u>electrode is formed by physical chemical</u> vapor deposition, and the capacitor is a concave type capacitor.

- 2. (original) The capacitor of claim 1, wherein the upper electrode is made of one selected from the group consisting of titanium nitride, tantalum nitride, tungsten nitride, ruthenium, platinum, iridium, and a combination thereof.
 - 3. (canceled)
- 4. (currently amended) The capacitor of claim 1, wherein the upper electrode includes a first upper electrode formed by the physical vapor deposition and a second upper electrode formed by the chemical vapor deposition and the first upper electrode

and the second upper electrode are sequentially stacked.

- 5. 22. (canceled)
- 23. (currently amended) A capacitor comprising:
 a lower electrode formed on a semiconductor substrate;
 a dielectric film stacked on the lower electrode; and
 an upper electrode formed on the dielectric film, wherein:

the upper electrode is formed by physical vapor deposition and one of chemical vapor deposition and atomic layer deposition, <u>and</u>

the upper electrode includes a first upper electrode <u>formed by the physical</u>

<u>vapor deposition without bias power applied to the semiconductor substrate</u> and a

second upper electrode <u>formed by one of the chemical vapor deposition and the</u>

<u>atomic layer deposition and</u>

the capacitor is a concave-type capacitor.

- 24. (canceled)
- 25. (currently amended) A capacitor comprising:a lower electrode formed on a semiconductor substrate;a dielectric film stacked on the lower electrode; <u>and</u>an upper electrode formed on the dielectric film, wherein:

the upper electrode is formed by chemical vapor deposition and physical

vapor deposition, and includes a first upper electrode formed by physical vapor deposition without bias power applied to the semiconductor substrate and a second upper electrode; and

an anti-reflective layer formed on the second upper electrode.

- 26. (currently amended) The capacitor of claim 25, wherein the capacitor is a concave-type capacitor further comprising an anti-reflective layer formed on the second upper electrode.
- 27. (new) The capacitor of claim 25, wherein the upper electrode further includes a second upper electrode formed by chemical vapor deposition.
- 28. (new) The capacitor of claim 1, wherein the capacitor is a concave-type capacitor.
- 29. (new) The capacitor of claim 23, wherein the capacitor is a concave-type capacitor.
- 30. (new) The capacitor of claim 25, wherein the capacitor is a concave-type capacitor.